

MM-9662 Hydraulic Stop Leak and Booster

Reccomended Treatment Rate Table

Oz. of MM-9662	1% Treat Rate Treats # of Gallons	2% Treat Rate Treats # of Gallons	Volume in Gallons	1% Treat Oz. of MM-9662	2% Treat Oz. of MM-9662
	1	1	0.5	0.25	0.5
	2	2	1	0.5	1
	3	3	2	0.75	2
	4	4	2	1	2
	5	5	3	2	4
	6	6	3	3	6
	7	7	4	4	8
	8	8	4	5	10
	9	9	5	6	12
	10	10	5	7	14
	11	11	6	8	16
	12	12	6	9	18
	13	13	7	10	20
	14	14	7	15	30
	15	15	8	20	40
	16	16	8	25	50
	17	17	9	30	60
	18	18	9	35	70
	19	19	10	40	80
	20	20	10	45	90
	21	21	11	50	100
	22	22	11	55	110
	23	23	12	60	120
	24	24	12	65	130
	25	25	13	70	140
	26	26	13	75	150
	27	27	14	80	160
	28	28	14	85	170
	29	29	15	90	180
	30	30	15	95	190
	31	31	16	100	200
1 Qt	32	32	16		
	33	33	17		
	34	34	17		
	35	35	18		
	36	36	18		
	37	37	19		
	38	38	19		
	39	39	20		
	40	40	20		
	41	41	21		
	42	42	21		
	43	43	22		
	44	44	22		
	45	45	23		
	46	46	23		
	47	47	24		
	48	48	24		
	49	49	25		
	50	50	25		
	51	51	26		
	52	52	26		
	53	53	27		
	54	54	27		

	55	55	28					
	56	56	28					
	57	57	29					
	58	58	29					
	59	59	30					
	60	60	30					
	61	61	31					
	62	62	31					
	63	63	32					
1/2 Gal	64	64	32					
	65	65	33					
	66	66	33					
	67	67	34					
	68	68	34					
	69	69	35					
	70	70	35					
	71	71	36					
	72	72	36					
	73	73	37					
	74	74	37					
	75	75	38					
	76	76	38					
	77	77	39					
	78	78	39					
	79	79	40					
	80	80	40					
	81	81	41					
	82	82	41					
	83	83	42					
	84	84	42					
	85	85	43					
	86	86	43					
	87	87	44					
	88	88	44					
	89	89	45					
	90	90	45					
	91	91	46					
	92	92	46					
	93	93	47					
	94	94	47					
	95	95	48					
3/4 Gal	96	96	48					
	97	97	49					
	98	98	49					
	99	99	50					
	100	100	50					
	101	101	51					
	102	102	51					
	103	103	52					
	104	104	52					
	105	105	53					
	106	106	53					
	107	107	54					
	108	108	54					
	109	109	55					
	110	110	55					
	111	111	56					
	112	112	56					
	113	113	57					
	114	114	57					
	115	115	58					

	116	116	58					
	117	117	59					
	118	118	59					
	119	119	60					
	120	120	60					
	121	121	61					
	122	122	61					
	123	123	62					
	124	124	62					
	125	125	63					
	126	126	63					
	127	127	64					
1 Gal	128	128	64					

MM-9662 Hydraulic Stop Leak and Booster

EZ Treatment Rate Table

	Oz. of MM-9662	1% Treat Rate Treats # of Gallons	2% Treat Rate Treats # of Gallons		Volume in Gallons	1% Treat Oz. of MM-9662	2% Treat Oz. of MM-9662		
	1	1	0.5		0.25	0.25		0.5	
	3	3	1.5		0.5	0.5		1	
	4	4	2		1	1		2	
	5	5	2.5		2	2		4	
	6	6	3		3	3		6	
1/4 Qt	8	8	4		4	4		8	
	10	10	5		5	5		10	
1/2 Qt	16	16	8		10	10		20	
	20	20	10		15	15		30	1 Qt
	25	25	12.5		20	20		40	
1 Qt	32	32	16		30	30	1 Qt	60	1/2 Gal
	40	40	20		40	40		80	
	50	50	25		50	50		100	
	60	60	30		60	60	1/2 Gal	120	1 Gal
1/2 Gal	64	64	32		70	70		140	
	70	70	35		80	80		160	
	80	80	40		90	90		180	
	90	90	45		100	100		200	
3/4 Gal	96	96	48		110	110		220	
	100	100	50		120	120	1 Gal	240	2 Gal
1 Gal	128	128	64						

Note- Numbers have been rounded for easy refernece and application